

## **Core Institute Alcohol and Drug Survey Results University of Illinois at Springfield**

The Core Alcohol and Drug Survey is administered annually to freshman each fall; historically, the majority of freshmen have completed the survey (i.e., more than 70% of each year's entering class). In spring 2002 and spring 2006, the survey also was administered to UIS undergraduate students and included 340 and 311 respondents, respectively, accounting for approximately 10–15% of the undergraduate student population. The UIS data are presented longitudinally and are percentages. Comparative data from a reference group of more than 90,000 college students at institutions elsewhere are presented when data are available from the survey provider.

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Freshman Cohort Fall 2002-06**

	2002	2003	2004	2005	2006
<b>Alcohol Use</b>					
Consumed alcohol in the last year ("annual prevalence")	57.1%	60.7%	58.4%	60.5%	61.9%
Consumed alcohol in the last 30 days ("30-day prevalence")	37.1%	43.5%	42.9%	44.2%	47.0%
Underage students who consumed alcohol in the last 30 days	38.4%	43.0%	42.1%	44.5%	46.3%
Reported binge drinking <sup>1</sup> in the previous two weeks	28.3%	28.2%	29.9%	27.7%	26.0%
<b>Illegal Drug Use</b>					
Used marijuana in the past year ("annual prevalence")	14.4%	21.4%	16.9%	14.6%	23.7%
Current marijuana users ("30-day prevalence")	4.5%	10.4%	5.2%	8.6%	8.9%
Used an illegal drug other than marijuana in the past year ("annual prevalence")	5.4%	10.3%	5.2%	6.2%	8.3%
Current users of illegal drugs other than marijuana ("30-day prevalence")	1.1%	1.7%	1.3%	4.7%	3.0%
<b>Consequences of Alcohol and Drug Use</b>					
Reported some form of public misconduct (such as trouble with police, fighting/argument,, DWI/DUI, vandalism) at least once during the past year as a result of drinking or drug use	21.3%	25.4%	27.3%	22.0%	26.5%
Reported experiencing some kind of serious personal problems (such as suicidality, being hurt or injured, trying unsuccessfully to stop using, sexual assault) at least once during the past year as a result of drinking or drug use	9.1%	20.2%	10.4%	12.6%	17.8%
<b>Opinions About the Campus Environment</b>					
Say the campus has alcohol and drug policies	97.7%	97.4%	100.0%	98.4%	91.1%
Say they don't know if the campus has alcohol and drug policies	2.3%	2.6%	0.0%	0.8%	7.7%
Say there is no alcohol and drug policy on this campus	0.0%	0.0%	0.0%	0.8%	1.2%
Say the campus has an alcohol and drug prevention program	65.9%	44.3%	35.5%	66.9%	51.2%
Don't know if the campus has an alcohol and drug prevention program	25.9%	50.4%	48.7%	29.9%	44.6%
Say the campus does not have an alcohol and drug prevention program	8.2%	4.3%	15.8%	3.1%	4.2%
Say the campus is concerned about the prevention of drug and alcohol use	83.1%	92.2%	86.7%	97.6%	88.7%
Don't know if the campus is concerned about the prevention of drug and alcohol use	7.2%	5.2%	6.7%	2.4%	9.5%
Say the campus is not concerned about the prevention of drug and alcohol use	9.6%	2.6%	6.7%	0.0%	1.8%
<b>Perceptions of Other Students</b>					
Believe the average student on campus uses alcohol once a week or more	65.2%	70.3%	63.2%	57.1%	68.9%
Believe the average student on this campus uses some form of illegal drug at least once a week	35.6%	31.5%	40.8%	25.2%	38.8%
Indicated they would prefer not to have alcohol available at parties they attend	56.3%	56.1%	60.3%	60.9%	53.7%
Indicated they would prefer not to have drugs available at parties they attend	86.4%	81.6%	94.5%	87.5%	87.7%
Saw drinking as central in the social life of male students	50.6%	58.7%	73.0%	48.4%	57.4%
Saw drinking as central in the social life of female students	39.3%	44.0%	44.6%	32.5%	41.0%
Saw drinking as central in the social life of faculty/staff	11.8%	10.9%	8.1%	6.5%	4.4%
Saw drinking as central in the social life of alumni	13.1%	18.3%	25.7%	13.8%	22.5%
Saw drinking as central in the social life of athletes	34.9%	38.9%	51.4%	35.0%	35.4%
Saw drinking as central in the social life of fraternities	29.3%	38.9%	50.0%	40.4%	46.6%

Saw drinking as central in the social life of sororities	28.7%	35.2%	44.4%	36.4%	41.4%
Believe the social atmosphere on campus promotes alcohol use	15.7%	19.6%	22.4%	8.9%	15.2%
Believe the social atmosphere on campus promotes drug use	8.4%	8.9%	9.2%	4.0%	5.5%
Do not feel safe on campus	0.0%	0.0%	0.0%	7.3%	4.8%
Believe that alcohol use is greater on other campuses	15.5%	6.1%	6.8%	5.0%	8.7%
Believe that alcohol use is less on other campuses	57.1%	60.0%	62.2%	75.2%	68.3%
Believe that alcohol use is about the same as on other campuses	26.2%	33.0%	31.1%	19.8%	23.0%

**On the Core alcohol and drug survey, respondents were asked to report whether students on this campus cared about a number of campus climate issues (with response options being "not at all," "slightly," "somewhat," and "very much"). The following percentages of respondents on this campus indicated that their fellow students cared "somewhat" or "very much" about the following issues:**

Sexual assault	83.1%	75.9%	86.3%	85.1%	88.8%
Assaults that are non-sexual	78.0%	75.9%	72.6%	74.4%	83.0%
Harassment because of sexual orientation	69.9%	67.6%	70.8%	70.0%	80.3%
Campus vandalism	68.7%	69.7%	60.3%	68.6%	69.9%
Harassment because of gender	68.3%	70.1%	73.6%	68.6%	81.0%
Harassment because of race or ethnicity	68.3%	70.1%	73.6%	72.7%	79.1%
Harassment because of religion	67.1%	67.6%	63.9%	70.3%	79.5%
Alcohol and other drug use	42.9%	49.5%	61.6%	63.6%	56.8%

**On the Core alcohol and drug survey, students were asked to rate the degree of risk people take when they act in certain ways, listed below. The response options were, "no risk," "slight risk," "moderate risk," "great risk," and "can't say." The numbers listed below indicate the percentage of respondents who felt there was "great risk" associated with the following behaviors:**

Try marijuana once or twice	18.5%	18.5%	27.4%	24.6%	15.1%
Smoke marijuana occasionally	24.7%	30.6%	37.0%	36.3%	31.3%
Smoke Marijuana regularly	50.6%	57.3%	75.3%	59.7%	59.7%
Try cocaine once or twice	46.3%	50.0%	63.5%	55.6%	47.8%
Take cocaine regularly	73.4%	78.2%	89.0%	76.4%	78.0%
Try LSD once or twice	50.0%	56.0%	68.5%	57.3%	58.1%
Take LSD regularly	67.9%	78.0%	84.9%	75.8%	75.0%
Try amphetamines once or twice	42.9%	51.8%	60.3%	55.6%	52.2%
Take amphetamines regularly	66.2%	78.9%	80.8%	73.6%	69.8%
Take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day	28.6%	29.1%	28.4%	30.3%	25.0%
Take four or five drinks nearly every day	56.4%	60.6%	60.6%	58.2%	50.6%
Have five or more drinks in one sitting	57.9%	71.3%	68.5%	65.3%	61.6%
Take steroids for body building or improved athletic performance	48.7%	58.2%	52.1%	59.3%	52.5%
Consume alcohol prior to being sexually active	42.9%	54.2%	54.2%	53.2%	50.0%
Regularly engage in unprotected sexual activity with a single partner	50.0%	57.8%	63.0%	57.4%	45.3%
Regularly engage in unprotected sexual activity with multiple partners	69.7%	78.2%	87.8%	82.5%	76.1%

**Sexual Behaviors**

Report engaging in sexual intercourse within the past year	46.3%	40.5%	37.0%	57.3%	50.6%
Engaged in sexual intercourse during the past year and used alcohol the last time they had intercourse	13.5%	6.7%	18.5%	8.8%	17.3%

Engaged in sexual intercourse during the past year and used drugs the last time they had intercourse	2.7%	2.2%	0.0%	1.5%	2.5%
<b>In the last 30 days, the following percentages of students engaged in the behaviors described below</b>					
Refused an offer of alcohol or other drugs	54.4%	52.3%	60.3%	47.2%	53.5%
Bragged about alcohol or other drug use	13.8%	15.6%	15.1%	13.7%	20.3%
Heard someone else brag about alcohol or other drug use	62.0%	71.6%	75.3%	58.4%	70.9%
Carried a weapon such as a gun, knife, etc. (not hunting or job related)	9.0%	8.3%	13.7%	8.1%	8.2%
Experienced peer pressure to drink or use drugs	31.6%	36.7%	39.7%	29.0%	40.5%
Held a drink to have people stop bothering you about why you weren't drinking	7.6%	7.3%	5.5%	4.9%	3.8%
Thought a sexual partner was not attractive because he/she was drunk	20.3%	18.3%	17.8%	10.5%	15.4%
Told a sexual partner that he/she was not attractive because he/she was drunk	16.7%	13.9%	11.0%	5.0%	12.3%
<b>Students feel their friends would disapprove if the...</b>					
Tried marijuana once or twice	67.4%	69.9%	64.4%	66.1%	63.4%
Smoked marijuana occasionally	77.4%	74.3%	76.7%	74.2%	73.3%
Smoked marijuana regularly	89.5%	90.3%	93.2%	87.1%	83.1%
Tried cocaine once or twice	96.5%	94.6%	95.9%	91.9%	92.2%
Took cocaine regularly	95.3%	96.4%	98.6%	95.9%	95.8%
Tried LSD once or twice	91.9%	92.0%	91.8%	93.5%	90.4%
Took LSD regularly	96.5%	96.4%	98.6%	95.1%	95.2%
Took one or two drinks everyday	55.8%	67.9%	71.2%	66.7%	64.5%
Took four or five drinks everyday	84.9%	93.8%	90.4%	92.7%	87.3%
Had five or more drinks at one sitting	70.9%	73.0%	76.4%	80.2%	72.1%
<b>The following are some key findings on the perceived effects of alcohol</b>					
Alcohol breaks the ice	47.7%	52.7%	56.0%	44.0%	57.8%
Alcohol enhances social activity	48.3%	50.9%	57.3%	44.8%	66.9%
Alcohol makes it easier to deal with stress	30.2%	22.3%	26.7%	28.0%	28.9%
Alcohol facilitates a connection with peers	38.4%	45.5%	34.7%	36.8%	49.1%
Alcohol gives people something to talk about	47.7%	63.4%	70.7%	50.0%	64.8%
Alcohol facilitates male bonding	40.2%	45.5%	40.0%	30.6%	46.4%
Alcohol facilitates female bonding	29.1%	34.2%	28.0%	21.0%	37.0%
Alcohol allows people to have more fun	41.2%	42.0%	41.9%	35.0%	48.2%
Alcohol gives people something to do	54.1%	56.3%	62.7%	52.8%	69.1%
Alcohol makes food taste better	9.5%	8.0%	8.0%	9.6%	9.7%
Alcohol makes women sexier	16.7%	15.2%	20.0%	13.7%	24.7%
Alcohol makes men sexier	13.3%	8.9%	10.7%	9.8%	12.7%
Alcohol makes me sexier	8.2%	9.8%	17.3%	12.9%	9.6%
Alcohol facilitates sexual opportunity	37.6%	44.6%	41.9%	37.2%	47.2%

SOURCE: Core Institute's Alcohol and Other Drugs Survey 2002-2006

<sup>1</sup> Binge Drinking is defined as consuming 5 or more drinks in one sitting

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Undergraduate Cohort Spring 2002 and Spring 2006**

	2002	2006
<b>Alcohol Use</b>		
Consumed alcohol in the last year ("annual prevalence")	81.8%	83.8%
Consumed alcohol in the last 30 days ("30-day prevalence")	66.0%	72.0%
Underage students who consumed alcohol in the last 30 days	52.0%	63.9%
Reported binge drinking <sup>1</sup> in the previous two weeks	41.8%	44.2%
<b>Illegal Drug Use</b>		
Used marijuana in the past year ("annual prevalence")	21.0%	23.6%
Current marijuana users ("30-day prevalence")	12.1%	12.6%
Used an illegal drug other than marijuana in the past year ("annual prevalence")	15.2%	10.4%
Current users of illegal drugs other than marijuana ("30-day prevalence")	9.0%	5.2%
<b>Consequences of Alcohol and Drug Use</b>		
Reported some form of public misconduct (such as trouble with police, fighting/argument, DWI/DUI, vandalism) at least once during the past year as a result of drinking or drug use	31.0%	37.5%
Reported experiencing some kind of serious personal problems (such as suicidality, being hurt or injured, trying unsuccessfully to stop using, sexual assault) at least once during the past year as a result of drinking or drug use	17.6%	21.5%
<b>Opinions About the Campus Environment</b>		
Say the campus has alcohol and drug policies	65.7%	59.8%
Say they don't know if the campus has alcohol and drug policies	34.0%	39.5%
Say there is no alcohol and drug policy on this campus	0.0%	0.7%
Say the campus has an alcohol and drug prevention program	30.9%	37.2%
Don't know if the campus has an alcohol and drug prevention program	67.0%	62.4%
Say the campus does not have an alcohol and drug prevention program	2.1%	0.3%
Say the campus is concerned about the prevention of drug and alcohol use	57.4%	64.0%
Don't know if the campus is concerned about the prevention of drug and alcohol use	35.3%	33.3%
Say the campus is not concerned about the prevention of drug and alcohol use	7.4%	2.7%
<b>Perceptions of Other Students</b>		
Believe the average student on campus uses alcohol once a week or more	90.9%	88.2%
Believe the average student on this campus uses some form of illegal drug at least once a week	55.1%	50.7%
Indicated they would prefer not to have alcohol available at parties they attend	29.4%	28.5%
Indicated they would prefer not to have drugs available at parties they attend	86.9%	84.0%
Saw drinking as central in the social life of male students	71.9%	72.9%
Saw drinking as central in the social life of female students	57.7%	66.2%

Saw drinking as central in the social life of faculty/staff	20.9%	20.1%
Saw drinking as central in the social life of alumni	26.5%	31.2%
Saw drinking as central in the social life of athletes	53.2%	54.4%
Saw drinking as central in the social life of fraternities	46.3%	47.6%
Saw drinking as central in the social life of sororities	45.1%	46.3%
Believe the social atmosphere on campus promotes alcohol use	25.2%	24.8%
Believe the social atmosphere on campus promotes drug use	13.4%	7.6%
Do not feel safe on campus	0.0%	5.2%
Believe that alcohol use is greater on other campuses	2.9%	3.5%
Believe that alcohol use is less on other campuses	69.4%	72.9%
Believe that alcohol use is about the same as on other campuses	27.4%	23.6%
<b>On the Core alcohol and drug survey, respondents were asked to report whether students on this campus cared about a number of campus climate issues (with response options being "not at all," "slightly", "somewhat," and "very much"). The following percentages of respondents on this campus indicated that their fellow students cared "somewhat" or "very much" about the following issues:</b>		
Sexual assault	84.6%	83.1%
Assaults that are non-sexual	79.7%	76.8%
Harassment because of sexual orientation	69.1%	73.5%
Campus vandalism	62.0%	68.4%
Harassment because of gender	71.7%	73.2%
Harassment because of race or ethnicity	75.9%	74.5%
Harassment because of religion	61.6%	67.2%
Alcohol and other drug use	38.7%	42.6%
<b>On the Core alcohol and drug survey, students were asked to rate the degree of risk people take when they act in certain ways, listed below. The response options were, "no risk," "slight risk," "moderate risk," "great risk," and "can't say." The numbers listed below indicate the percentage of respondents who felt there was "great risk" associated with the following behaviors:</b>		
Try marijuana once or twice	9.9%	12.5%
Smoke marijuana occasionally	17.6%	20.1%
Smoke Marijuana regularly	50.2%	46.2%
Try cocaine once or twice	52.8%	46.5%
Take cocaine regularly	83.0%	78.5%
Try LSD once or twice	58.0%	58.3%
Take LSD regularly	82.0%	78.9%
Try amphetamines once or twice	45.5%	51.0%
Take amphetamines regularly	70.2%	75.5%
Take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day	21.2%	23.3%
Take four or five drinks nearly every day	56.5%	53.4%
Have five or more drinks in one sitting	53.3%	52.2%

Take steroids for body building or improved athletic performance	61.5%	59.4%
Consume alcohol prior to being sexually active	41.1%	41.8%
Regularly engage in unprotected sexual activity with a single partner	57.5%	46.5%
Regularly engage in unprotected sexual activity with multiple partners	86.7%	82.7%
<b>Sexual Behavior</b>		
Report engaging in sexual intercourse within the past year	74.6%	79.2%
Engaged in sexual intercourse during the past year and used alcohol the last time they had intercourse	17.0%	18.6%
Engaged in sexual intercourse during the past year and used drugs the last time they had intercourse	4.1%	7.0%
<b>In the last 30 days, the following percentages of students engaged in the behaviors described below:</b>		
Refused an offer of alcohol or other drugs	52.9%	52.4%
Bragged about alcohol or other drug use	16.0%	14.0%
Heard someone else brag about alcohol or other drug use	61.2%	65.9%
Carried a weapon such as a gun, knife, etc. (not hunting or job related)	6.4%	6.3%
Experienced peer pressure to drink or use drugs	24.2%	25.0%
Held a drink to have people stop bothering you about why you weren't drinking	7.3%	9.4%
Thought a sexual partner was not attractive because he/she was drunk	17.5%	19.9%
Told a sexual partner that he/she was not attractive because he/she was drunk	13.2%	12.2%
<b>Students feel their friends would disapprove if they...</b>		
Tried marijuana once or twice	54.9%	49.2%
Smoked marijuana occasionally	65.0%	61.7%
Smoked marijuana regularly	84.5%	78.8%
Tried cocaine once or twice	89.1%	88.1%
Took cocaine regularly	97.0%	95.9%
Tried LSD once or twice	89.4%	90.8%
Took LSD regularly	97.0%	96.3%
Took one or two drinks everyday	53.8%	52.9%
Took four or five drinks everyday	85.0%	83.3%
Had five or more drinks at one sitting	55.0%	59.0%
<b>The following are some key findings on the perceived effects of alcohol</b>		
Alcohol breaks the ice	71.3%	75.1%
Alcohol enhances social activity	67.6%	75.8%
Alcohol makes it easier to deal with stress	42.2%	41.5%
Alcohol facilitates a connection with peers	51.8%	58.9%
Alcohol gives people something to talk about	51.4%	60.5%
Alcohol facilitates male bonding	47.1%	53.9%
Alcohol facilitates female bonding	35.0%	41.9%
Alcohol allows people to have more fun	54.4%	56.9%

Alcohol gives people something to do	65.5%	70.0%
Alcohol makes food taste better	9.4%	13.0%
Alcohol makes women sexier	16.6%	26.2%
Alcohol makes men sexier	11.0%	14.6%
Alcohol makes me sexier	12.0%	18.2%
Alcohol facilitates sexual opportunity	39.8%	51.2%

SOURCE: Core Institute's Alcohol and Other Drugs Survey 2002 & 2006

<sup>1</sup> Binge Drinking is defined as consuming 5 or more drinks in one sitting

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Experience of Harassment or Violence**

**Freshmen Data: Fall 2002-2006**

	Experience					Used Alcohol or Drugs				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>Incident</b>										
Ethnic or racial harassment	7.1%	0.9%	8.0%	9.0%	7.3%	0.0%	0.0%	40.0%	9.1%	0.0%
Threats of physical violence	9.5%	9.8%	20.0%	9.8%	15.2%	16.7%	18.2%	28.6%	16.7%	16.0%
Actual physical violence	4.7%	3.6%	9.5%	3.3%	3.1%	0.0%	75.0%	50.0%	50.0%	20.0%
Theft involving force or threat of force	4.7%	0.0%	1.3%	1.6%	0.6%	0.0%	0.0%	0.0%	50.0%	0.0%
Forced sexual touching or fondling	7.1%	3.6%	6.7%	6.6%	4.3%	25.0%	100.0%	50.0%	57.1%	85.7%
Unwanted sexual intercourse	7.1%	2.7%	4.0%	3.3%	2.4%	0.0%	100.0%	100.0%	75.0%	100.0%

**Undergraduate Data: Spring 2002 & 2006**

	Experience					Used Alcohol or Drugs				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>Incident</b>										
Ethnic or racial harassment	5.1%	N/A	N/A	N/A	2.3%	6.3%	N/A	N/A	N/A	14.3%
Threats of physical violence	6.3%	N/A	N/A	N/A	7.4%	30.0%	N/A	N/A	N/A	50.0%
Actual physical violence	2.4%	N/A	N/A	N/A	2.4%	57.1%	N/A	N/A	N/A	57.1%
Theft involving force or threat of force	0.6%	N/A	N/A	N/A	0.7%	100.0%	N/A	N/A	N/A	50.0%
Forced sexual touching or fondling	2.1%	N/A	N/A	N/A	1.7%	100.0%	N/A	N/A	N/A	80.0%
Unwanted sexual intercourse	2.7%	N/A	N/A	N/A	2.0%	100.0%	N/A	N/A	N/A	100.0%

NOTE: Table 1 shows the percentage of students who reported having experienced any of the following within the last year, and if so, the percentage who reported consuming alcohol or other drugs shortly before these incidents.

SOURCE: Core Institute's Alcohol and Other Drugs Survey 2002-06

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Substance Abuse Prevalence**

**Freshmen Data: Fall 2002-2006**

<b>Lifetime Prevalence</b>										
	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>										
Tobacco	36.7%	36.2%	35.1%	32.6%	27.6%	59.0%	59.0%	54.9%	52.5%	52.5%
Alcohol	58.4%	63.8%	70.1%	66.2%	66.9%	88.0%	88.0%	88.6%	87.2%	87.2%
Marijuana	24.4%	25.0%	24.7%	21.5%	26.0%	46.0%	46.0%	48.3%	45.7%	45.7%
Cocaine	1.1%	0.9%	0.0%	2.3%	4.1%	8.8%	8.8%	8.3%	8.8%	8.8%
Amphetamines	4.4%	6.9%	6.6%	7.7%	6.5%	17.0%	17.0%	15.8%	14.0%	14.0%
Sedatives	1.1%	2.6%	2.6%	3.1%	4.7%	6.0%	6.0%	7.2%	7.7%	7.7%
Hallucinogens	4.4%	2.6%	0.0%	1.5%	2.4%	14.0%	14.0%	9.9%	8.2%	8.2%
Opiates	1.1%	2.6%	0.0%	0.8%	1.8%	2.4%	2.4%	3.0%	2.9%	2.9%
Inhalants	1.1%	3.5%	1.3%	3.1%	3.0%	7.0%	7.0%	4.5%	4.1%	4.1%
Designer Drugs	6.7%	2.6%	0.0%	2.3%	4.1%	5.6%	5.6%	10.1%	7.4%	7.4%
Steroids	0.0%	0.9%	1.3%	1.5%	0.6%	1.3%	1.3%	1.3%	1.3%	1.3%
Other Drugs	2.2%	0.0%	0.0%	0.0%	2.4%	4.0%	4.0%	4.3%	4.3%	4.3%

<b>Annual Prevalence</b>										
	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>										
Tobacco	27.2%	31.6%	31.2%	27.7%	23.8%	45.0%	45.0%	42.4%	40.9%	40.9%
Alcohol	57.1%	60.7%	58.4%	60.5%	61.9%	83.0%	83.0%	85.6%	84.0%	84.0%
Marijuana	14.4%	21.4%	16.9%	14.6%	23.7%	32.0%	32.0%	34.8%	31.0%	31.0%
Cocaine	1.1%	1.7%	0.0%	1.6%	3.6%	3.7%	3.7%	5.4%	5.3%	5.3%
Amphetamines	1.1%	6.0%	5.2%	5.4%	4.7%	6.8%	6.8%	8.8%	6.6%	6.6%
Sedatives	0.0%	2.6%	1.3%	0.8%	3.0%	2.7%	2.7%	4.4%	4.4%	4.4%
Hallucinogens	2.2%	2.6%	0.0%	1.6%	2.4%	7.4%	7.4%	4.7%	3.9%	3.9%
Opiates	0.0%	0.9%	0.0%	0.0%	1.2%	1.3%	1.3%	1.7%	1.5%	1.5%
Inhalants	1.1%	1.7%	0.0%	0.8%	2.4%	2.7%	2.7%	1.5%	1.4%	1.4%
Designer Drugs	3.4%	2.6%	0.0%	0.8%	4.2%	3.3%	3.3%	4.8%	2.9%	2.9%
Steroids	0.0%	0.0%	0.0%	0.0%	0.6%	0.7%	0.7%	0.8%	0.8%	0.8%
Other Drugs	1.1%	0.0%	0.0%	0.0%	2.4%	2.1%	2.1%	2.3%	2.2%	2.2%

<b>30-Day Prevalence</b>										
	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>										
Tobacco	24.7%	22.6%	20.8%	21.1%	21.4%	35.0%	35.0%	30.8%	29.0%	29.0%
Alcohol	37.1%	43.5%	42.9%	44.2%	47.0%	69.0%	69.0%	74.7%	71.4%	71.4%
Marijuana	4.5%	10.4%	5.2%	8.6%	8.9%	19.0%	19.0%	20.3%	17.5%	17.5%
Cocaine	0.0%	0.0%	0.0%	1.6%	0.6%	1.6%	1.6%	2.4%	2.4%	2.4%
Amphetamines	0.0%	0.9%	1.3%	3.1%	1.8%	3.0%	3.0%	4.6%	3.4%	3.4%
Sedatives	0.0%	0.0%	0.0%	0.0%	0.6%	1.3%	1.3%	2.2%	2.1%	2.1%
Hallucinogens	0.0%	0.0%	0.0%	0.8%	0.6%	2.6%	2.6%	1.6%	1.2%	1.2%
Opiates	0.0%	0.0%	0.0%	0.0%	0.6%	0.6%	0.6%	0.8%	0.8%	0.8%
Inhalants	0.0%	0.9%	0.0%	0.0%	0.6%	1.0%	1.0%	0.8%	0.7%	0.7%
Designer Drugs	0.0%	0.0%	0.0%	0.0%	1.2%	1.1%	1.1%	1.3%	1.0%	1.0%
Steroids	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%	0.5%	0.6%	0.6%	0.6%
Other Drugs	1.1%	0.0%	0.0%	0.0%	1.2%	0.9%	0.9%	1.0%	1.0%	1.0%

<b>3 Times a Week or More</b>										
	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>										
Tobacco	10.9%	11.1%	11.7%	12.3%	13.1%	24.0%	24.0%	18.8%	17.0%	17.0%
Alcohol	6.6%	6.0%	10.4%	8.5%	3.0%	22.0%	22.0%	26.3%	23.5%	23.5%
Marijuana	1.1%	0.9%	0.0%	1.5%	3.6%	7.2%	7.2%	7.8%	6.5%	6.5%
Cocaine	0.0%	0.0%	0.0%	0.0%	0.6%	0.2%	0.2%	0.4%	0.4%	0.4%
Amphetamines	0.0%	0.9%	2.6%	3.1%	1.8%	1.6%	1.6%	3.1%	1.7%	1.7%
Sedatives	0.0%	0.0%	0.0%	0.0%	0.6%	0.3%	0.3%	0.5%	0.5%	0.5%
Hallucinogens	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%	0.2%	0.2%
Opiates	0.0%	0.0%	0.0%	0.0%	0.6%	0.2%	0.2%	0.3%	0.3%	0.3%
Inhalants	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%	0.2%	0.2%
Designer Drugs	1.1%	0.0%	0.0%	0.0%	0.6%	0.1%	0.1%	0.3%	0.2%	0.2%
Steroids	0.0%	0.0%	0.0%	0.0%	0.6%	0.4%	0.4%	0.4%	0.3%	0.3%
Other Drugs	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%	0.3%	0.2%	0.2%

NOTE: These tables provide additional details about student's reported use of drugs at this institution. Unless otherwise indicated, percentages are based on the total number of students responding validly to a given item.

NOTE: For comparison purposes, the reference groups used in the preceding data are as follows: 2002–93,679 students from 197 institutions who completed the Core Alcohol and Drug Survey Long Form in 1995, 1996, or 1997; 2003–same reference group used in 2002 analysis; 2004–38,857

students from 89 institutions from the 2003 Aggregated National Database; 2005–59,668 students from 132 institutions from the 2005 Aggregated National Database; 2006–Same reference group used in 2005 analysis.  
SOURCE: Core Institute's Alcohol and Other Drugs Survey 2002-06

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Substance Abuse Prevalence**

**Undergraduate Data: Spring 2002 & 2006**

<b>Lifetime Prevalence</b>				
	<b>2002</b>	<b>2006</b>	<b>2002</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>				
Tobacco	60.1%	63.2%	59.0%	52.5%
Alcohol	89.0%	90.2%	88.0%	87.2%
Marijuana	46.7%	54.4%	46.0%	45.7%
Cocaine	10.8%	14.1%	8.8%	8.8%
Amphetamines	24.0%	18.0%	17.0%	14.0%
Sedatives	6.9%	11.1%	6.0%	7.7%
Hallucinogens	10.2%	13.4%	14.0%	8.2%
Opiates	1.5%	5.3%	2.4%	2.9%
Inhalants	4.8%	6.3%	7.0%	4.1%
Designer Drugs	9.3%	9.5%	5.6%	7.4%
Steroids	1.2%	1.0%	1.3%	1.3%
Other Drugs	3.3%	5.6%	4.0%	4.3%

<b>Annual Prevalence</b>				
	<b>2002</b>	<b>2006</b>	<b>2002</b>	<b>2006</b>
	<b>UIS</b>	<b>UIS</b>	<b>Ref.</b>	<b>Ref.</b>
<b>Substance</b>				
Tobacco	43.9%	42.1%	45.0%	40.9%
Alcohol	81.8%	83.8%	83.0%	84.0%
Marijuana	21.0%	23.6%	32.0%	31.0%
Cocaine	5.4%	5.5%	3.7%	5.3%
Amphetamines	11.1%	4.9%	6.8%	6.6%
Sedatives	3.0%	4.5%	2.7%	4.4%
Hallucinogens	3.3%	3.9%	7.4%	3.9%
Opiates	0.6%	1.0%	1.3%	1.5%
Inhalants	1.5%	1.0%	2.7%	1.4%

Designer Drugs	5.4%	2.0%	3.3%	2.9%
Steroids	0.3%	0.0%	0.7%	0.8%
Other Drugs	0.9%	1.6%	2.1%	2.2%

### 30-Day Prevalence

	2002	2006	2002	2006
	UIS	UIS	Ref.	Ref.
<b>Substance</b>				
Tobacco	33.0%	31.8%	35.0%	29.0%
Alcohol	66.0%	72.0%	69.0%	71.4%
Marijuana	12.1%	12.6%	19.0%	17.5%
Cocaine	1.2%	2.3%	1.6%	2.4%
Amphetamines	7.0%	2.0%	3.0%	3.4%
Sedatives	1.2%	1.3%	1.3%	2.1%
Hallucinogens	1.2%	1.0%	2.6%	1.2%
Opiates	0.6%	0.0%	0.6%	0.8%
Inhalants	0.3%	0.3%	1.0%	0.7%
Designer Drugs	1.5%	1.3%	1.1%	1.0%
Steroids	0.6%	0.0%	0.5%	0.6%
Other Drugs	1.2%	0.0%	0.9%	1.0%

### 3 Times a Week or More

	2002	2006	2002	2006
	UIS	UIS	Ref.	Ref.
<b>Substance</b>				
Tobacco	25.4%	24.6%	24.0%	17.0%
Alcohol	20.8%	24.3%	22.0%	23.5%
Marijuana	5.4%	7.8%	7.2%	6.5%
Cocaine	0.3%	0.3%	0.2%	0.4%
Amphetamines	4.2%	1.3%	1.6%	1.7%
Sedatives	0.6%	0.3%	0.3%	0.5%
Hallucinogens	0.3%	0.0%	0.2%	0.2%
Opiates	0.0%	0.0%	0.2%	0.3%
Inhalants	0.0%	0.3%	0.2%	0.2%

Designer Drugs	0.3%	0.0%	0.1%	0.2%
Steroids	0.0%	0.0%	0.4%	0.3%
Other Drugs	0.0%	0.0%	0.3%	0.2%

NOTE: These tables provide additional details about student's reported use of drugs at this institution. Unless otherwise indicated, percentages are based on the total number of students responding validly to a given item.

NOTE: For comparison purposes, the reference groups used in the preceding data are as follows: 2002- 93,679 students from 197 institutions who completed the CORE Alcohol and Drug Survey Long Form in 1995, 1996, or 1997; 2006- 59,668 students from 132 institutions from the 2005 Aggregated National Database.

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Consequences of Drug and Alcohol Use**

**Freshmen Data: Fall 2002-2006**

	University of Illinois at Springfield					Reference Group				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>Experience</b>										
Been arrested for DWI/DUI	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	1.4%	1.4%	1.7%	1.7%
Been in trouble with police, residence hall, or other college authorities	6.9%	4.4%	6.5%	7.1%	7.6%	13.0%	13.0%	14.8%	14.0%	14.0%
Damaged property, pulled fire alarms, etc.	2.2%	7.0%	5.2%	3.9%	4.1%	7.4%	7.4%	8.7%	7.1%	7.1%
Driven a car while under the influence	24.7%	19.3%	22.1%	15.0%	16.7%	33.0%	33.0%	29.6%	26.6%	26.6%
Got into an argument or fight	16.9%	22.8%	23.4%	18.9%	21.8%	29.0%	29.0%	32.5%	32.3%	32.3%
Tried to commit suicide	0.0%	0.9%	0.0%	3.1%	1.2%	1.4%	1.4%	1.4%	1.5%	1.5%
Seriously thought about suicide	1.1%	2.6%	1.3%	3.2%	3.6%	5.0%	5.0%	4.7%	4.5%	4.5%
Been hurt or injured	5.7%	9.6%	9.1%	7.3%	10.7%	13.0%	13.0%	16.3%	15.6%	15.6%
Been taken advantage sexually	8.0%	8.8%	2.6%	4.8%	8.3%	12.0%	12.0%	11.0%	10.6%	10.6%
Taken advantage of another sexually	1.1%	3.5%	1.3%	3.2%	0.6%	5.1%	5.1%	3.7%	3.4%	3.4%
Tried unsuccessfully to stop using	2.3%	3.5%	0.0%	1.6%	4.1%	6.0%	6.0%	5.7%	5.3%	5.3%
Thought I might have a drinking or other drug problem	2.2%	2.6%	1.3%	5.5%	6.0%	11.0%	11.0%	11.2%	10.6%	10.6%
Performed poorly on a test or important project	5.6%	10.5%	9.1%	8.7%	11.2%	21.0%	21.0%	23.8%	22.7%	22.7%
Done something I later regretted	20.5%	27.2%	18.2%	20.6%	21.4%	36.0%	36.0%	39.5%	37.5%	37.5%
Missed a class	3.4%	5.3%	5.2%	4.0%	7.2%	30.0%	30.0%	33.9%	31.0%	31.0%
Been criticized by someone I know	20.5%	29.8%	16.9%	17.5%	22.0%	28.0%	28.0%	32.1%	30.4%	30.4%
Had memory loss	7.9%	22.8%	14.3%	15.9%	21.4%	28.0%	28.0%	35.5%	33.5%	33.5%
Got nauseated or vomited	31.8%	30.7%	34.2%	26.0%	37.6%	49.0%	49.0%	55.6%	53.6%	53.6%
Had a hangover	36.0%	39.5%	35.1%	33.1%	42.9%	60.0%	60.0%	64.8%	62.4%	62.4%

**Undergraduate Data: Spring 2002 & 2006**

	University of Illinois at Springfield					Reference Group				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>Experience</b>										
Been arrested for DWI/DUI	0.9%	N/A	N/A	N/A	3.0%	1.4%	N/A	N/A	N/A	1.7%
Been in trouble with police, residence hall, or other college authorities	7.5%	N/A	N/A	N/A	12.2%	13.0%	N/A	N/A	N/A	14.0%
Damaged property, pulled fire alarms, etc.	4.5%	N/A	N/A	N/A	7.6%	7.4%	N/A	N/A	N/A	7.1%
Driven a car while under the influence	34.4%	N/A	N/A	N/A	40.3%	33.0%	N/A	N/A	N/A	26.6%

Got into an argument or fight	28.8%	N/A	N/A	N/A	32.0%	29.0%	N/A	N/A	N/A	32.3%
Tried to commit suicide	0.6%	N/A	N/A	N/A	1.0%	1.4%	N/A	N/A	N/A	1.5%
Seriously thought about suicide	4.2%	N/A	N/A	N/A	2.3%	5.0%	N/A	N/A	N/A	4.5%
Been hurt or injured	9.3%	N/A	N/A	N/A	8.3%	13.0%	N/A	N/A	N/A	15.6%
Been taken advantage sexually	5.7%	N/A	N/A	N/A	9.6%	12.0%	N/A	N/A	N/A	10.6%
Taken advantage of another sexually	2.7%	N/A	N/A	N/A	4.7%	5.1%	N/A	N/A	N/A	3.4%
Tried unsuccessfully to stop using	5.1%	N/A	N/A	N/A	7.9%	6.0%	N/A	N/A	N/A	5.3%
Thought I might have a drinking or other drug problem	9.6%	N/A	N/A	N/A	12.2%	11.0%	N/A	N/A	N/A	10.6%
Performed poorly on a test or important project	16.5%	N/A	N/A	N/A	18.2%	21.0%	N/A	N/A	N/A	22.7%
Done something I later regretted	29.3%	N/A	N/A	N/A	36.3%	36.0%	N/A	N/A	N/A	37.5%
Missed a class	19.3%	N/A	N/A	N/A	22.4%	30.0%	N/A	N/A	N/A	31.0%
Been criticized by someone I know	23.9%	N/A	N/A	N/A	23.9%	28.0%	N/A	N/A	N/A	30.4%
Had memory loss	19.4%	N/A	N/A	N/A	29.9%	28.0%	N/A	N/A	N/A	33.5%
Got nauseated or vomited	47.6%	N/A	N/A	N/A	49.8%	49.0%	N/A	N/A	N/A	53.6%
Had a hangover	55.2%	N/A	N/A	N/A	64.7%	60.0%	N/A	N/A	N/A	62.4%

NOTE: For comparison purposes, the reference groups (both freshmen and undergraduate) used in the preceding data are as follows: 2002- 93,679 students from 197 institutions who completed the Core Alcohol and Drug Survey Long Form in 1995, 1996, or 1997; 2003- same reference group used in 2002 analysis; 2004- 38,857 students from 89 institutions from the 2003 Aggregated National Database; 2005- 59,668 students from 132 institutions from the 2005 Aggregated National Database; 2006- Same reference group used in 2005 analysis.

SOURCE: Core Institute's Alcohol and Other Drugs Survey 2002-06

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
National Results, Undergraduate Students, 2005**

**DEMOGRAPHICS**

<b>Year In School</b>		<b>Ethnic Origin</b>	
Freshmen	29.6%	Am. Ind./Alaskan Native	0.8%
Sophomore	23.5%	Asian/Pacific Islander	3.8%
Junior	21.7%	Black Non-Hispanic	6.8%
Senior	21.2%	Hispanic	4.1%
Graduates	3.3%	White Non-Hispanic	81.6%
Other	0.7%	Other	3.0%
<b>Age</b>		<b>Gender</b>	
16-20	60.5%	Male	60.8%
21 and older	39.5%	Female	39.2%
<b>Residence</b>			
On Campus	59.9%	Off Campus	40.1

**PREVALENCE**

<b>Annual Prevalence<sup>1</sup></b>		<b>30-Day Prevalence<sup>2</sup></b>	
Tobacco	41.0%	Tobacco	28.2%
Alcohol	84.5%	Alcohol	72.8%
Marijuana	30.1%	Marijuana	16.7%
Cocaine	4.9%	Cocaine	2.1%
Amphetamines	6.4%	Amphetamines	3.3%
Sedatives	4.4%	Sedatives	2.0%
Hallucinogens	3.5%	Hallucinogens	1.0%
Opiates	1.4%	Opiates	0.7%
Inhalants	1.1%	Inhalants	0.5%
Designer Drugs	2.7%	Designer Drugs	0.8%
Steroids	0.6%	Steroids	0.4%
Other	2.0%	Other	0.8%

**CONSEQUENCES**

<b>Potential Consequences<sup>1</sup></b>			
Had a hangover	62.8%	Had memory loss	34.3%
Performed poorly on a test/other project	21.8%	Done something I later regretted	38.1%
Trouble with police or other authorities	13.9%	Been arrested for DWI/DUI	1.4%

Damaged property, pulled a fire alarm, etc.	7.0%	Been taken advantage of sexually	10.3%
Got into a fight or argument	31.0%	Taken advantage of another sexually	3.0%
Got nauseated or vomited	53.8%	Tried unsuccessfully to stop using	4.8%
Driven a car while under the influence	26.3%	Seriously thought about suicide	4.0%
Missed a class	30.7%	Tried to commit suicide	1.1%
Been criticized by someone I know	30.3%	Been hurt or injured	15.5%
Thought I might have a problem	10.4%		

## PERCEPTIONS

### Social and Sexual Effects<sup>1</sup>

Breaking the ice	77.2%	Facilitates a connection with peers	61.8%
Enhance social activity	75.6%	Facilitates sexual opportunities	53.9%
Gives people something else to do	74.4%	Facilitates female bonding	48.4%
Gives people something to talk about	68.7%	Makes women sexier	27.7%
Allows people to have more fun	62.3%	Makes men sexier	17.8%
Facilitates male bonding	59.1%	Makes me sexier	17.5%

## MORE CONSEQUENCES

### Violence Experienced<sup>1</sup>

### While Under the Influence<sup>2</sup>

Actual physical violence	4.3%	Actual physical violence	62.1%
Threats of physical violence	9.5%	Threats of physical violence	49.9%
Ethnic or racial harassment	6.3%	Ethnic or racial harassment	12.0%
Theft involving force or threat of force	1.6%	Theft involving force or threat of force	39.1%
Forced sexual touching	5.2%	Forced sexual touching	72.3%
Unwanted sexual intercourse	2.9%	Unwanted sexual intercourse	83.2%

<sup>1</sup> Percentage of students who have experienced the following violent acts within the year prior to completing the survey

<sup>2</sup> Percentage of students who were under the influence of alcohol or other drugs when they experienced the violent acts listed in the previous column

SOURCE: Core Institute's Alcohol and Other Drugs Survey: National Results, 2005

**University of Illinois at Springfield  
Core Alcohol and Drug Survey Results  
Differences Among Student Groups**

**Freshmen Data: 2002-2006**

<b>Gender</b>	<b>2002</b>		<b>2003</b>		<b>2004</b>		<b>2005</b>		<b>2006</b>	
	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>
	Sample Size	47	33	71	39	49	23	66	47	93
Currently use (in the past 30 days) alcohol	41.3%	36.4%	48.6%	33.3%	38.8%	56.5%	47.0%	39.1%	46.7%	43.5%
Currently use (in the past 30 days) marijuana	4.3%	6.3%	8.6%	12.8%	2.0%	13.0%	10.6%	8.9%	7.5%	8.2%
Currently use (in the past 30 days) illegal drugs other than marijuana	2.1%	0.0%	2.9%	0.0%	2.0%	0.0%	6.1%	2.2%	3.2%	3.2%
Had 6 or more binges in the past 2 weeks	4.3%	6.1%	0.0%	0.0%	0.0%	17.4%	3.0%	0.0%	2.2%	1.6%
Have driven a car while under the influence during the past year	23.4%	31.3%	15.9%	21.1%	16.3%	34.8%	16.7%	15.6%	20.4%	9.8%
Have been taken advantage of sexually during the past year	12.8%	3.2%	8.7%	7.9%	0.0%	8.7%	3.0%	8.9%	11.8%	3.2%
Have taken advantage of another sexually during the past year	2.1%	0.0%	1.4%	5.3%	0.0%	4.3%	1.5%	6.7%	0.0%	1.6%

<b>Age</b>	<b>2002</b>		<b>2003</b>		<b>2004</b>		<b>2005</b>		<b>2006</b>	
	<b>16-20</b>	<b>21+</b>	<b>16-20</b>	<b>21+</b>	<b>16-20</b>	<b>21+</b>	<b>16-20</b>	<b>21+</b>	<b>16-20</b>	<b>21+</b>
	Sample Size	89	0	116	0	76	0	129	0	161
Currently use (in the past 30 days) alcohol	38.4%	0.0%	43.0%	0.0%	42.1%	0.0%	44.5%	0.0%	46.3%	60.0%
Currently use (in the past 30 days) marijuana	4.7%	0.0%	10.5%	0.0%	3.9%	0.0%	8.7%	0.0%	9.4%	0.0%
Currently use (in the past 30 days) illegal drugs other than marijuana	1.1%	0.0%	1.8%	0.0%	1.3%	0.0%	4.7%	0.0%	2.5%	20.0%
Had 6 or more binges in the past 2 weeks	5.6%	0.0%	0.9%	0.0%	5.3%	0.0%	3.1%	0.0%	1.9%	0.0%
Have driven a car while under the influence during the past year	25.6%	0.0%	18.6%	0.0%	21.1%	0.0%	15.1%	0.0%	16.3%	20.0%
Have been taken advantage of sexually during the past year	8.2%	0.0%	8.0%	0.0%	2.6%	0.0%	4.8%	0.0%	8.7%	0.0%
Have taken advantage of another sexually during the past year	1.2%	0.0%	3.5%	0.0%	1.3%	0.0%	3.2%	0.0%	0.6%	0.0%

<b>Average Grades</b>	<b>2002</b>		<b>2003</b>		<b>2004</b>		<b>2005</b>		<b>2006</b>	
	<b>A-B</b>	<b>C-F</b>	<b>A-B</b>	<b>C-F</b>	<b>A-B</b>	<b>C-F</b>	<b>A-B</b>	<b>C-F</b>	<b>A-B</b>	<b>C-F</b>
	Sample Size	84	0	110	1	69	0	115	2	150
Currently use (in the past 30 days) alcohol	35.8%	0.0%	43.5%	0.0%	43.5%	0.0%	44.3%	0.0%	45.0%	54.5%
Currently use (in the past 30 days) marijuana	5.0%	0.0%	10.2%	0.0%	4.3%	0.0%	8.8%	0.0%	10.1%	0.0%
Currently use (in the past 30 days) illegal drugs other than marijuana	1.2%	0.0%	1.9%	0.0%	1.4%	0.0%	3.5%	50.0%	3.3%	0.0%
Had 6 or more binges in the past 2 weeks	6.0%	0.0%	0.9%	0.0%	5.8%	0.0%	2.6%	0.0%	2.0%	0.0%
Have driven a car while under the influence during the past year	27.2%	0.0%	17.8%	0.0%	21.7%	0.0%	14.9%	0.0%	16.8%	18.2%
Have been taken advantage of sexually during the past year	7.5%	0.0%	9.3%	0.0%	2.9%	0.0%	5.3%	0.0%	9.3%	0.0%

Have taken advantage of another sexually during the past year	1.3%	0.0%	3.7%	0.0%	1.4%	0.0%	3.5%	0.0%	0.7%	0.0%
---	------	------	------	------	------	------	------	------	------	------

<b>Campus Residence</b>										
	2002		2003		2004		2005		2006	
	On	Off	On	Off	On	Off	On	Off	On	Off
Sample Size	79	0	104	0	68	0	110	1	147	7
Currently use (in the past 30 days) alcohol	35.9%	0.0%	43.1%	0.0%	42.6%	0.0%	45.5%	0.0%	47.6%	57.1%
Currently use (in the past 30 days) marijuana	3.9%	0.0%	9.8%	0.0%	2.9%	0.0%	8.3%	0.0%	8.3%	28.6%
Currently use (in the past 30 days) illegal drugs other than marijuana	0.0%	0.0%	2.0%	0.0%	1.5%	0.0%	4.6%	0.0%	3.4%	0.0%
Had 6 or more binges in the past 2 weeks	3.8%	0.0%	1.0%	0.0%	5.9%	0.0%	2.7%	0.0%	2.1%	0.0%
Have driven a car while under the influence during the past year	24.7%	0.0%	18.8%	0.0%	20.6%	0.0%	13.8%	0.0%	16.6%	28.6%
Have been taken advantage of sexually during the past year	7.9%	0.0%	9.9%	0.0%	2.9%	0.0%	3.7%	0.0%	8.9%	0.0%
Have taken advantage of another sexually during the past year	1.3%	0.0%	3.0%	0.0%	1.5%	0.0%	2.8%	0.0%	0.7%	0.0%

### Undergraduate Data: 2002 & 2006

<b>Gender</b>										
	2002		2003		2004		2005		2006	
	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Sample Size	213	103	N/A	N/A	N/A	N/A	N/A	N/A	167	119
Currently use (in the past 30 days) alcohol	65.4%	71.3%	N/A	N/A	N/A	N/A	N/A	N/A	70.1%	77.6%
Currently use (in the past 30 days) marijuana	8.1%	21.4%	N/A	N/A	N/A	N/A	N/A	N/A	12.3%	13.0%
Currently use (in the past 30 days) illegal drugs other than marijuana	7.6%	13.0%	N/A	N/A	N/A	N/A	N/A	N/A	6.7%	2.6%
Had 6 or more binges in the past 2 weeks	4.7%	9.9%	N/A	N/A	N/A	N/A	N/A	N/A	6.7%	9.3%
Have driven a car while under the influence during the past year	26.7%	49.0%	N/A	N/A	N/A	N/A	N/A	N/A	36.0%	47.8%
Have been taken advantage of sexually during the past year	4.3%	7.9%	N/A	N/A	N/A	N/A	N/A	N/A	8.6%	8.7%
Have taken advantage of another sexually during the past year	0.5%	5.9%	N/A	N/A	N/A	N/A	N/A	N/A	3.7%	4.4%

<b>Age</b>										
	2002		2003		2004		2005		2006	
	16-20	21+	16-20	21+	16-20	21+	16-20	21+	16-20	21+
Sample Size	100	233	N/A	N/A	N/A	N/A	N/A	N/A	61	243
Currently use (in the past 30 days) alcohol	52.0%	72.6%	N/A	N/A	N/A	N/A	N/A	N/A	63.9%	75.4%
Currently use (in the past 30 days) marijuana	12.4%	11.9%	N/A	N/A	N/A	N/A	N/A	N/A	8.2%	13.2%
Currently use (in the past 30 days) illegal drugs other than marijuana	10.3%	8.7%	N/A	N/A	N/A	N/A	N/A	N/A	4.9%	4.6%
Had 6 or more binges in the past 2 weeks	3.0%	7.4%	N/A	N/A	N/A	N/A	N/A	N/A	8.3%	6.6%
Have driven a car while under the influence during the past year	27.3%	37.7%	N/A	N/A	N/A	N/A	N/A	N/A	31.1%	42.8%
Have been taken advantage of sexually during the past year	11.1%	3.5%	N/A	N/A	N/A	N/A	N/A	N/A	13.1%	9.0%
Have taken advantage of another sexually during the past year	4.0%	2.2%	N/A	N/A	N/A	N/A	N/A	N/A	3.3%	4.7%

<b>Average Grades</b>										
	2002		2003		2004		2005		2006	
	A-B	C-F	A-B	C-F	A-B	C-F	A-B	C-F	A-B	C-F
Sample Size	297	25	N/A	N/A	N/A	N/A	N/A	N/A	257	38
Currently use (in the past 30 days) alcohol	66.1%	60.0%	N/A	N/A	N/A	N/A	N/A	N/A	71.3%	83.8%
Currently use (in the past 30 days) marijuana	11.1%	24.0%	N/A	N/A	N/A	N/A	N/A	N/A	11.2%	25.0%
Currently use (in the past 30 days) illegal drugs other than marijuana	9.7%	4.0%	N/A	N/A	N/A	N/A	N/A	N/A	5.2%	5.4%
Had 6 or more binges in the past 2 weeks	6.1%	12.0%	N/A	N/A	N/A	N/A	N/A	N/A	6.7%	13.2%
Have driven a car while under the influence during the past year	35.1%	28.0%	N/A	N/A	N/A	N/A	N/A	N/A	38.8%	63.2%
Have been taken advantage of sexually during the past year	5.5%	12.0%	N/A	N/A	N/A	N/A	N/A	N/A	10.1%	7.9%
Have taken advantage of another sexually during the past year	2.7%	4.0%	N/A	N/A	N/A	N/A	N/A	N/A	4.4%	8.1%

<b>Campus Residence</b>										
	2002		2003		2004		2005		2006	
	On	Off	On	Off	On	Off	On	Off	On	Off
Sample Size	113	184	N/A	N/A	N/A	N/A	N/A	N/A	84	186
Currently use (in the past 30 days) alcohol	60.0%	69.4%	N/A	N/A	N/A	N/A	N/A	N/A	65.1%	74.3%
Currently use (in the past 30 days) marijuana	17.4%	7.7%	N/A	N/A	N/A	N/A	N/A	N/A	12.0%	11.5%
Currently use (in the past 30 days) illegal drugs other than marijuana	14.7%	6.6%	N/A	N/A	N/A	N/A	N/A	N/A	6.0%	5.4%
Had 6 or more binges in the past 2 weeks	4.5%	6.0%	N/A	N/A	N/A	N/A	N/A	N/A	4.9%	7.0%
Have driven a car while under the influence during the past year	30.0%	36.3%	N/A	N/A	N/A	N/A	N/A	N/A	34.5%	43.6%
Have been taken advantage of sexually during the past year	9.1%	3.3%	N/A	N/A	N/A	N/A	N/A	N/A	14.3%	7.8%
Have taken advantage of another sexually during the past year	3.7%	1.6%	N/A	N/A	N/A	N/A	N/A	N/A	6.0%	4.4%

SOURCE: Core Institute's Alcohol and Other Drugs Survey, 2002-06

**Regional Profiles of College Students  
Alcohol and Other Drug Use  
Core Institute 2005**

	United States	Far West Region	Rocky Mountains Region	Southwest Region	Plains Region	Southeast Region	Great Lakes Region	Midwest Region	New England Region
<b>Alcohol and Other Drugs</b>									
All drinkers	85.0%	84.6%	85.2%	83.6%	82.6%	87.5%	85.8%	87.0%	86.9%
Heavy and frequent drinkers	25.8%	20.4%	26.4%	24.0%	29.3%	23.5%	25.1%	28.4%	26.7%
Marijuana users	33.5%	36.0%	34.6%	28.5%	33.3%	25.3%	29.2%	40.7%	40.2%
Other drug users	15.5%	18.3%	14.7%	14.2%	17.0%	9.2%	12.2%	18.2%	16.7%
<b>Negative Consequences</b>									
Engaged in public misconduct as a result of AOD use	37.7%	30.8%	38.3%	34.6%	37.6%	43.0%	37.7%	42.1%	41.0%
Experienced serious personal problems as a result of AOD use	25.6%	24.3%	27.4%	21.8%	25.7%	26.9%	25.3%	27.9%	26.8%
Experienced harassment or violence in the last year	18.7%	17.6%	17.6%	17.5%	19.3%	18.3%	18.5%	20.4%	19.0%
<b>Knowledge and Attitudes</b>									
Over perceive the positive effects of alcohol consumption	49.7%	48.2%	46.3%	46.6%	48.2%	49.9%	50.6%	32.2%	54.2%
Under perceive the dangers of alcohol consumption	50.3%	52.9%	52.9%	47.1%	48.2%	46.1%	48.9%	54.1%	55.0%
Believe they personally abide by campus AOD policies	57.6%	61.2%	57.1%	66.4%	59.9%	56.4%	57.1%	50.5%	47.7%
<b>Choices and Behaviors</b>									
Would prefer to live in an AOD free residence hall if available	19.3%	23.5%	21.1%	21.9%	21.0%	21.5%	16.9%	16.6%	13.1%
Bragged about AOD use to others in the last 30 days	20.3%	17.0%	21.0%	17.4%	18.6%	21.9%	22.4%	23.4%	23.9%
Participated in student organizations that encourage AOD use	19.2%	11.3%	20.6%	21.7%	25.6%	19.9%	17.8%	18.7%	14.1%
Participated in student organizations that discourage AOD use	33.9%	29.4%	38.3%	43.6%	35.0%	31.6%	33.5%	31.2%	33.2%
Used alcohol or other drugs the last time they had sexual intercourse	21.8%	18.8%	20.9%	21.6%	22.8%	24.0%	21.7%	21.9%	23.7%
<b>Environment</b>									
Close friends would disapprove of taking 4-5 drinks nearly everyday	86.2%	88.2%	85.4%	87.5%	84.0%	85.7%	87.1%	85.6%	87.2%
Close friends would disapprove of trying illegal drugs once or twice	92.2%	88.2%	92.2%	94.0%	92.3%	94.8%	94.0%	91.6%	92.5%
Experienced peer pressure to drink in the last 30 days	35.9%	33.4%	38.6%	34.2%	34.3%	40.5%	38.5%	36.9%	33.1%
Believe drinking is a central part of the social life of most other students	48.5%	40.0%	48.4%	52.1%	51.3%	46.2%	44.5%	55.9%	43.6%
Would rather not have alcohol available and used at parties	26.0%	26.6%	25.6%	30.1%	28.3%	26.6%	24.2%	22.6%	22.2%
Believe the social atmosphere on campus promotes alcohol use	56.1%	46.6%	61.8%	54.3%	57.9%	53.0%	59.8%	59.3%	57.3%
Believe alcohol use is greater on their campus compared to other campuses	15.2%	12.4%	13.8%	15.1%	19.4%	14.9%	14.7%	14.0%	11.6%

SOURCE: Core Institute's Alcohol and Other Drugs Survey: Regional Profiles Data Table, 2005.